



LEE JOFA FURNITURE WORKROOM

Lee Jofa Workroom is a comprehensive resource for designers. Our easy to follow program of bench made upholstery offers the ultimate flexibility in styling and size. Personalize each piece with options ranging from traditional to modern. Classically current in style, Lee Jofa upholstery is designed to layer into a well-collected home. Order with confidence that a Workroom piece of upholstery will reflect your unique design and delight in comfort and quality.

FRAMES
ARM SELECTIONS8
BACK SELECTIONS
BASE SELECTIONS
DECORATIVE OPTIONS
CUSHIONING - STANDARDS AND OPTIONS17
FINISHES18
NAILHEADS
ORDER FORMS



FRAMES

Choose from our selection of sofa, loveseat, sectional, chaise, chair and ottoman frames – all graciously scaled and perfectly proportioned. We offer three depths to ensure a range of comfort and function, priced by the inch.

SOFA, LOVESEAT and CHAIR



LOVESEAT

JF58

37"D JF5837 40"D | JF5840 43"D | JF5843

OW/IW = 58"/44" ARMS DL, DS, LS, LT, PL, SS, ST

OW/IW = 56"/44" ARMS ET, ME, TF5, TT5

OW/IW = 54"/44" ARMS TF.TT

LOVESEAT

JF64*

37"D | JF6437 40"D | JF6440 43"D | JF6443

OW/IW = 64"/50" ARMS DL, DS, LS, LT, PL, SS, ST

OW/IW = 62"/50"ARMS ET, ME, TF5, TT5

OW/IW = 60"/50" ARMS TF.TT

*Standard with two seats



SOFA

JF76

37"D JF7637 40"D | JF7640 43"D | JF7643

OW/IW = 76"/62" ARMS DL, DS, LS, LT, PL, SS, ST

OW/IW = 74"/62" ARMS ET, ME, TF5, TT5

OW/IW = 72"/62" ARMS TETT

SOFA

JF82

37"D JF8237 40"D JF8240 43"D | JF8243

OW/IW = 82"/68" ARMS DL, DS, LS, LT, PL, SS, ST

OW/IW = 80"/68" ARMS ET, ME, TF5, TT5

OW/IW = 78"/68" ARMS TF, TT



EXTENDED SOFA

JF88

37"D | JF8837

40"D | JF8840

43"D JF8843

OW/IW = 88"/74"

ARMS DL, DS, LS, LT, PL, SS, ST

OW/IW = 86"/74" ARMS ET, ME, TF5, TT5

OW/IW = 84"/74"

ARMS TF, TT



CHAIR

JF36

37"D JF3637 40"D | JF3440

43"D JF3243

OW/IW = 36"/22" ARMS DL, DS, LS, LT, PL, SS, ST

OW/IW = 34"/22" ARMS ET, ME, TF5, TT5

OW/IW = 32"/22"ARMS TF, TT



SWIVEL CHAIR

JF36S

37"D JF36S37 40"D | JF36S40 43"D JF36S43

OW/IW = 36"/22" ARMS DL, DS, LS, LT, PL, SS, ST

OW/IW = 34"/22"

ARMS ET, ME, TF5, TT5

OW/IW = 32"/22" ARMS TF, TT

Available with skirt or upholstered base.

SOFA, LOVESEAT and CHAIR DEPTH



37"OD - 19"SD



40"OD - 22"SD



43"OD - 25"SD

The following dimensions apply to all of our standard frames: Overall Height = 35.5", Seat Height = 20.5", Arm Height = 24"- 25.5"

OTTOMAN



OTTOMAN

JF28-O

OW = 28.5" OD = 20.5" OH = 19"

TWO ARM CHAISE



TWO ARM CHAISE

JF-CHS

68"D | JF-CHS/68 71"D | JF-CHS/71

OW/IW = 36"/24" ARMS LT, ST

OW/IW = 33"/24" ARMS ET, TT5

OW/IW = 31"/24" ARMS TT

CHAISE DEPTHS







71"OD - 53"SD





SECTIONAL



LEFT OR RIGHT ONE ARM CORNER SOFA

JF-LCS OR JF-RCS

40"D | JF-LCS/40 or JF-RCS/40

OW/IW = 91"/68" ARMS DL, DS, LS, LT, PL, SS, ST OW/IW = 90"/68" ARMS ET, ME, TF5, TT5 OW/IW = 89"/68" ARMS TF, TT

43"D | JF-LCS/43 or JF-RCS/43

OW/IW = 94"/71" ARMS DL, DS, LS, LT, PL, SS, ST OW/IW = 93"/71" ARMS ET, ME, TF5, TT5 OW/IW = 92"/71" ARMS TF, TT



LEFT OR RIGHT ONE ARM SOFA

JF-LAS OR JF-RAS

40"D | JF-LAS/40 or JF-RAS/40 43"D | JF-LAS/43 or JF-RAS/43

OW/IW = 76"/69" ARMS DL, DS, LS, LT, PL, SS, ST OW/IW = 75"/69" ARMS ET, ME, TF5, TT5 OW/IW = 74"/69" ARMS TF, TT



LEFT OR RIGHT ONE ARM LOVESEAT

JF-LAL OR JF-RAL

40"D | JF-LAL/40 or JF-RAL/40 43"D | JF-LAL/43 or JF-RAL/43

OW/IW = 53"/46" ARMS DL, DS, LS, LT, PL, SS, ST OW/IW = 52"/46" ARMS ET, ME, TF5, TT5 OW/IW = 51"/46" ARMS TF, TT



LEFT OR RIGHT ONE ARM CHAISE

JF-LCH OR JF-RCH

68"D | JF-LCH/68 or JF-RCH/68 71"D | JF-LCH/71 or JF-RCH/71

OW/IW = 30"/23" ARMS DL, DS, LS, LT, PL, SS, ST OW/IW = 29"/23" ARMS ET, ME, TF5, TT5 OW/IW = 28"/23" ARMS TF, TT



CORNER CHAIR

JF-CC

40"D | JF-CC/40

OW = 40"

43"D | JF-CC/43

OW = 43"



ARMLESS SOFA

JF-ARMS

40"D | JF-ARMS/40 43"D | JF-ARMS/43

OW = 69"



ARMLESS LOVESEAT

JF-ARML

40"D | JF-ARML/40 43"D | JF-ARML/43

OW = 46"

SECTIONAL DEPTH



OD/SD ONE ARM CHAISES 68" / 50" or 71" / 53"

43"OD - 25"SD

The following dimensions apply to all of our standard frames:

Overall Height = 35.5", Seat Height = 20.5", Arm Height = 24"- 25.5"

SECTIONAL SAMPLE CONFIGURATIONS



JF-LCH/JF-ARML/JF-RCH
LEFT ONE ARM CHAISE | ARMLESS LOVESEAT | RIGHT ONE ARM CHAISE



JF-LCH/JF-RAL
LEFT ONE ARM CHAISE | RIGHT ONE ARM LOVESEAT



JF-LCS/JF-RAS
LEFT ONE ARM CORNER SOFA | RIGHT ONE ARM SOFA



JF-LAS/JF-RCH
LEFT ONE ARM SOFA | RIGHT ONE ARM CHAISE



ARMS

Nine arm styles provide a range of looks. Each are sculpted by hand with both style and comfort in mind.



SLOPED PANEL ARM WITH SEAT CUSHION TO FRONT*



SLOPED SOCK ARM WITH DS SEAT CUSHION TO FRONT*



PLEATED SLOPED SOCK ARM PL WITH SEAT CUSHION TO FRONT*



PANEL ARM WITH SEAT CUSHION TO FRONT*



PANEL ARM WITH T SEAT CUSHION



MODIFIED ENGLISH ARM WITH SEAT CUSHION TO FRONT*



SOCK ARM WITH SEAT CUSHION TO FRONT*



SOCK ARM WITH T SEAT CUSHION



ET | ENGLISH AND **ENGLISH ARM WITH**



3" TRACK ARM WITH TF | 3" TRACK ARTITUTE.
SEAT CUSHION TO FRONT*



3"TRACK ARM WITH T SEAT CUSHION



TF5



5"TRACK ARM WITH SEAT CUSHION TO FRONT* TT5 | 5"TRACK ARM WITH T SEAT CUSHION



BACKS

Workroom furniture is made to look good from every angle. Choose from six back designs, in loose and tight configurations, for luxurious comfort and support.









SR ROLLED TIGHT BACK*

BB BUTTON BORDER EDGE BACK









KE | KNIFE EDGE BACK

BE | BORDER EDGE BACK









SB | BORDER EDGE TIGHT BACK*

NB | BORDERLESS TIGHT BACK*

^{*}Tight back options are not available on sectionals



BASES

Eleven base selections, as well as standard caster and ferrule details, allow for a design sure to complement any setting.

SKIRTED BASE



DSS | TALL DRESSMAKER SKIRT 9.5"OH



DSW | WATERFALL SKIRT SEAT TO FRONT



DSW | WATERFALL SKIRT T CUSHION

EXPOSED WOOD LEG with SHAPED FENDER



TRADITIONAL LEG

RAB | ANTIQUE BRASS CASTER
RBN | BRUSHED NICKEL CASTER
RLN | NO CASTER (3"OW x 5.5"OH)



ENGLISH LEG 3"OW x 6.25"OH

EAB | ANTIQUE BRASS CASTER
EBN | BRUSHED NICKEL CASTER
ELN | NO CASTER



TAPERED LEG 2.5"OW x 6.25"OH

TLN NO CASTER

TAB ANTIQUE BRASS CASTER
TBN BRUSHED NICKEL CASTER





TSB | BRONZE SABOT
TSN | NICKEL SABOT



SHAPED FENDER

EXPOSED WOOD LEG with STRAIGHT FENDER





MODERN LEG 2.25"OW x 3.5"OH

ML NO SABOT
MB BRONZE SABOT
NICKEL SABOT



RIBBED BLOCK LEG 7"OW x 2"OH

RB



BLOCK LEG 4.5"OW x 2.5"OH

BL

TAPERED BLOCK LEG $4^{\circ}\text{OW} \times 3.5^{\circ}\text{OH}$

TB



FLUTED TAPERED LEG 4.5"OW × 2.5"OH

FT

TO THE FLOOR, STRAIGHT FENDER



UPHOLSTERED BASE 2" OFF THE FLOOR

BF



STRAIGHT FENDER



DECORATIVE OPTIONS AND FINISHES

From classic wood tones to high gloss enamels and antiqued paints, our finishes are created from 10 steps of hand-applied primer, stains, paints and decorative effects.

We can also match custom colors to personalize your project.

DECORATIVE OPTIONS

FABRIC

LEE JOFA GRADED FABRIC

LEE JOFA LEATHER

COM/COL

TRIM (Must Specify One)



WELTEDAROUND FRAME AND CUSHIONS



WELTLESSSIMPLE SEAM WITH SINGLE WELT AROUND BASE



DECORATIVE TRIMMINGS*ADDITIONAL

BORDER • NOT APPLICABLE ON SKIRTS (Must Specify One)



FRONT BORDER



FRONT BORDERLESS

SEAT CUSHIONS

SPRING BLEND DOWN - Standard

Polyurethane foam encases covered coil springs surrounded by 50% blown polyester fiber blended with a 50% combination of 75% small duck feathers and 25% gray goose down sewn into a channeled down proof ticking bag. Supportive | Some Maintenance

COMFORT BLEND - No Charge

Polyurethane foam surrounded by layers of blown polyester fiber sewn into a channeled bag.

More Supportive | Less Maintenance

DOWN PLUS - No Charge

Polyurethane foam surrounded by 50% blown polyester fiber blended with a 50% combination of 75% small duck feathers and 25% gray goose down sewn into a channeled down proof ticking bag. Soft | Requires Maintenance

FEATHER DOWN - Additional

75% small duck feathers are blended with 25% gray goose down sewn into a channeled down-proof ticking bag. Luxurious-Soft | Requires Maintenance

BACK CUSHIONS

DOWN PLUS - Standard

Loose back comprised of 50% blown polyester fiber blended with a 50% combination of 75% small duck feathers and 25% gray goose down sewn into a channeled down proof ticking bag. Soft and Supportive | Requires Maintenance

FIBER - No Charge

Loose Back which is 100% blown polyester fiber in a muslin bag. More Supportive | Less Maintenance

FEATHER DOWN - Additional


75% small duck feathers are blended with 25% gray goose down sewn into a channeled down-proof ticking bag. Luxurious-Soft | Requires Maintenance



FINISHES

STANDARD FINISHES

WOOD STAINS



*PREMIUM FINISHES

PAINTS AND STAINS





*MAJESTIC FINISHES

PAINTS AND LEAFS HIGH GLOSS ENAMELS



*Upcharge

SMALL, MEDIUM and LARGE NAILHEADS



SIZES: #9=3/8", #54=5/8", #52=3/4"

BRADS









6101244

#8 Black Nickel #8 French Natural 610203

#8 Platinum 6101210

#8 Nickel 610123

SIZE: #8=8MM

PHOTOGRAPHY IS, AT BEST, A REPRESENTATION OF THE COLOR



ORDER FORMS

With our array of options and minimal upcharges, follow the simple steps to specify your design and place your order with confidence and ease.



Complete the form below and submit to furniture@leejofa.com or fax to 516.293.2054. For assistance completing the form call 800.648.5728 ext. 2484.

	SPECIFY: Quote Order
DATE:	INSTALLATION DATE:
ACCOUNT #:	SHIP TO: In Home Dock Delivery
ACCOUNT NAME:	
PHONE #:	
PO #:	
SIDEMARK:	
ber and description List	LECTION SELECTION SELECTION one style number List one style number List one style number and description from description from and description from description from pages 13-14
SKU DESCRIPTION:	
OVERALL WIE	OTH: OVERALL DEPTH:
	CUSTOM WIDTH, DEPTH or HEIGHT: If a standard width, ot precise enough enter custom dimensions here
FABRIC: If a COM/COL is selected please complete the COM/C	COL form and attach
PATTERN: COLOR:	SUPPLIER:
TRIM: List one type from page 16	
BORDER: List one type from page 16 Front Border Front Border Front Borderless	
SEAT CUSHION FILL: List one type from page 17	
LOOSE BACK CUSHION FILL (as applicable): Lis	t one type from page 17
FINISH (as applicable): List one from pages 18	
NAILHEADS: If specified, list one from page 19	Head to Head I" Spaced
SPECIAL REQUESTS:	

