

LEE JOFA FURNITURE WORKROOM IS AS SIMPLE AS

STEP I. SPECIFY ONE OF THESE STANDARD WIDTHS, OR CUSTOMIZE BY THE INCH
OVERALL WIDTH WILL VARY BASED ON ARM SELECTION

JF64 _ _ _ _ _



OW=58" • ARMS DL, DS, LS, LT, PL, SS, ST
OW=56" • ARMS ET, ME
OW=54" • ARMS TF, TT, TFS, TTS



OW=64" • ARMS DL, DS, LS, LT, PL, SS, ST
OW=62" • ARMS ET, ME
OW=60" • ARMS TF, TT, TFS, TTS



OW=76" • ARMS DL, DS, LS, LT, PL, SS, ST
OW=74" • ARMS ET, ME
OW=72" • ARMS TF, TT, TFS, TTS



OW=82" • ARMS DL, DS, LS, LT, PL, SS, ST
OW=80" • ARMS ET, ME
OW=78" • ARMS TF, TT, TFS, TTS



OW=88" • ARMS DL, DS, LS, LT, PL, SS, ST
OW=86" • ARMS ET, ME
OW=84" • ARMS TF, TT, TFS, TTS



OW=36" • ARMS DL, DS, LS, LT, PL, SS, ST
OW=34" • ARMS ET, ME
OW=32" • ARMS TF, TT, TFS, TTS

STEP 2. SPECIFY ONE OF THESE STANDARD DEPTHS, OR CUSTOMIZE BY THE INCH

JF6443 - - - - -



STEP 3. SPECIFY ONE OF THESE ARM STYLES
OVERALL WIDTH WILL VARY BASED ON ARM SELECTION

JF6443 DS _ _ _ _



DL • Sloped Panel Arm with
 Seat Cushion to Front



DS • Sloped Sock Arm with
 Seat Cushion to Front



ET • English Arm with
 T Seat Cushion



LS • Panel Arm with
 Seat Cushion to Front



LT • Panel Arm with
 T Seat Cushion



ME • Modified English Arm
 with Seat Cushion to Front



PL • Pleated Sloped Arm
 with Seat Cushion
 to Front



**Shown with optional nailhead trim*

SS • Sock Arm with
 Seat Cushion to Front



ST • Sock Arm with
 T Seat Cushion



TF • Track Arm/Shaped Fender
 with Seat Cushion to Front
TFS • Track Arm/Straight Fender
 with Seat Cushion to Front



TT • Track Arm/Shaped
 Fender with T Seat Cushion
TTS • Track Arm/Straight
 Fender with T Seat Cushion

STEP 4. SPECIFY ONE OF THESE BACK STYLES

JF6443 DS BB _ _



BB • *Button Border Edge Back*



BE • *Border Edge Back*



KE • *Knife Edge Back*



SB • *Border Edge Tight Back*



SR • *Rolled Tight Back*

**NA on TFS or TTS Arm Styles*



STEP 5. SPECIFY ONE OF THESE LEG STYLES IN ONE OF TWENTY FINISHES AND CHOOSE THE HARDWARE

JF6443 DS BB TBN



Traditional Leg with

- RAB** • Antique Brass Caster
- RBN** • Brushed Nickel Caster
- RLN** • No Caster

Tapered Leg with

- TAB** • Antique Brass Caster
- TBN** • Brushed Nickel Caster
- TLN** • No Caster

Tapered Leg with

- TSB** • Bronze Sabot
- TSN** • Nickel Sabot



ML • Modern Leg 3.5"



MB • Modern Leg with Bronze Sabot 3.5"



MN • Modern Leg with Nickel Sabot 3.5"

***ML • *MB • *MN ONLY AVAILABLE WITH TFS • TTS / STRAIGHT FENDERS**

OR, SPECIFY ONE OF THESE SKIRT STYLES OR CUSTOMIZE YOUR OWN



DSS • Tall Dressmaker Skirt



DSW • Waterfall Skirt
Seat to Front



DSW • Waterfall Skirt
T Seat

STEP 6. SELECT YOUR FABRIC, ADD YOUR TRIMMINGS



WORKROOM WORKSHEET - STEP BY STEP

STEP 1. OVERALL WIDTH



STEP 2. OVERALL DEPTH



*37" depth not available in sectionals

OR, CUSTOMIZE THE DIMENSIONS BY THE INCH

STEP 3. ARM STYLES



DL • Sloped Panel Arm, Seat to Front
NA Chaise

DS • Sloped Sock Arm, Seat to Front
NA Chaise

ET • English Arm, T Seat

LS • Panel Arm, Seat to Front

LT • Panel Arm, T Seat

ME • Modified English Arm, Seat to Front

PL • Pleated Sloped Arm, Seat to Front
NA Chaise

SS • Sock Arm, Seat to Front*

ST • Sock Arm, T Seat

TF • TFS • Track Arm, Seat to Front
Shaped Fender • Straight Fender

TT • TTS • Track Arm, T Seat

STEP 4. LOOSE OR TIGHT BACK STYLES



BB • Button Border Edge Back *

BE • Border Edge Back

KE • Knife Edge Back

SB • Border Edge Tight Back
NA Sectionals

SR • Rolled Tight Back
NA Sectionals
NA on TFS or TTS Arm Styles

*shown with optional nailhead

STEP 5. LEGS AND HARDWARE



Traditional Leg with
RAB • Antique Brass Caster
RBN • Brushed Nickel Caster
RLN • No Caster

Tapered Leg with
TAB • Antique Brass Caster
TBN • Brushed Nickel Caster
TLN • No Caster

Tapered Leg with
TSB • Bronze Sabot
TSN • Nickel Sabot

ML • Modern Leg 3.5"

MB • Modern Leg with Bronze Sabot 3.5"

MN • Modern Leg with Nickel Sabot 3.5"

*ML • *MB • *MN ONLY AVAILABLE WITH TFS • TTS / STRAIGHT FENDERS

OR SKIRT STYLES



DSS • Tall Dressmaker Skirt

DSW • Waterfall Skirt Seat to Front

DSW • Waterfall Skirt T Seat